

● EAST: UPDATE2 ●

L Number	Hits	Search Text	DB	Time stamp
1	972	709/208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 18:11
4	7275	709/203	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 18:12
5	2727	709/220	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 18:13
6	5143	709/223	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 18:13
7	2672	709/226	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 18:13
-	77	("3971000" "4251858" "4319338" "4688167" "4701845" "4845644" "4858152" "4897777" "4912623" "4937777" "4949274" "4953074" "4974151" "4979107" "4992926" "5012402" "5023770" "5047959" "5072356" "5072412" "5109487" "5122948" "5131092" "5134574" "5151896" "5151978" "5157595" "5159673" "5161211" "5165030" "5179700" "5225974" "5245704" "5251302" "5283861" "5297257" "5307463" "5321829" "5343469" "5349675" "5386524" "5398336" "5406473" "5420977" "5430730" "5440699" "5446868" "5471617" "5528503" "5598536" "5611059" "5613115" "5623652" "5625781" "5699350" "5734831" "5793954" "5805442" "5862391" "5889785" "5950006" "5982362" "5997167" "6016523" "6028866" "6032203" "6058251" "6061603" "6061721" "6122670" "6151625" "6151640" "6263487" "6271752" "6282454" "6484061" "6587884").PN.	USPAT	2004/05/11 15:59
-	416	(program or code or software or application) near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:22
-	6362	("717").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:17
-	28426	("709").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:17
-	34306	((("717").CLAS.) or (("709").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:17

-	65	((program or code or software or application).near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (((("717").CLAS.) or (("709").CLAS.)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:19
-	1	((((program or code or software or application) near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (((("717").CLAS.) or (("709").CLAS.))) and (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:04
-	14	((program or code or software or application) near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:23
-	9	(program or code or software or application) near2 (optim\$8 or customiz\$5) same (ip adj address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:22
-	298	((("717").CLAS.) or (("709").CLAS.)) and (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:40
-	127	((("717").CLAS.) or (("709").CLAS.)) and (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))) and @ad<20000809) and (server or database) same request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:24
-	37	((("717").CLAS.) or (("709").CLAS.)) and (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))) and @ad<20000809) and (server or database) same request same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:39
-	0	((((program or code or software or application) near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (((("717").CLAS.) or (("709").CLAS.))) and (remote\$3 near3 program\$4) same (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:42
-	5	((((program or code or software or application) near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (((("717").CLAS.) or (("709").CLAS.))) and (remote\$3 near3 program\$4) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:41
-	41	(remote\$3 near3 program\$4) same (plc or (logic adj controller) or (automat\$3 adj (device or machine\$2))) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:53
-	2	5604914.URPN.	USPAT	2004/05/11 16:53
-	3	(remote\$3 near3 program\$4) same (factory adj automation) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:55
-	6	(program\$4) same (factory adj automation) same server and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:55

-	9	((program or code or software or application) near2 (optim\$8 or customiz\$5) same (control\$4) same (location or address) and @ad<20000809) and (((("717").CLAS.) or (("709").CLAS.))) and (application or program or software)-adj request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:04
-	648	((("717").CLAS.) or (("709").CLAS.)) and (application or program or software) adj request same server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:05
-	2	((("717").CLAS.) or (("709").CLAS.)) and (application or program or software) adj request same server same address adj request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:06
-	12	((("717").CLAS.) or (("709").CLAS.)) and request adj3 (application or program or software) same server same address adj request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 17:19
-	19	((("717").CLAS.) or (("709").CLAS.)) and programmable adj controller same internet	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:34
-	248	((("717").CLAS.) or (("709").CLAS.)) and (server or database) near4 stor\$4 near4 (programs!) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 10:40
-	1	((("717").CLAS.) or (("709").CLAS.)) and (server or database) near4 stor\$4 near4 (programs!) and ((automat\$3 adj device) or ((programmable or logic) adj controller)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 10:52
-	4	programmable adj2 controller same internet same server same programs!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 10:52
-	615	((("717").CLAS.) or (("709").CLAS.)) and (program or code or software or function) same (based near2 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:35
-	296	((("717").CLAS.) or (("709").CLAS.)) and (program or code or software or function) same (based near2 address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:35
-	145	((("717").CLAS.) or (("709").CLAS.)) and (program or code or software or function) with (based near2 address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:36
-	5	((("717").CLAS.) or (("709").CLAS.)) and (program or code or software or function) with (select\$3) near4 (based near2 address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:35
-	79	((("717").CLAS.) or (("709").CLAS.)) and (program or code or software or function) with (based adj2 address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:40

-	7	((("717").CLAS.) or (("709").CLAS.)) and (programming) with (based adj2 (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:41
-	78	((("717").CLAS.) or (("709").CLAS.)) and (program\$4) with ((according or based) adj2 (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:46
-	33	((("717").CLAS.) or (("709").CLAS.)) and (program\$4) near4 ((according or based) adj2 (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:46
-	37105	("700").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:45
-	0	("700").CLAS.) same internet same program\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:45
-	0	("700").CLAS.) same server same program\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:46
-	9	("700").CLAS.) and (program\$4) near4 ((according or based) adj2 (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:46
-	0	((("717").CLAS.) or (("709").CLAS.)) and (program\$4 or code or software) same ((repson\$4) near4 (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:47
-	0	((("717").CLAS.) or (("709").CLAS.)) and (program\$4 or code or software) same ((repson\$4) with (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:47
-	0	((("717").CLAS.) or (("709").CLAS.)) and (program\$4 or code or software) same ((repson\$4) same (location or address)) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:48
-	738	((("717").CLAS.) or (("709").CLAS.)) and (program\$4 or code or software) same (request) near4 (location or address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:48
-	12	((("717").CLAS.) or (("709").CLAS.)) and (program\$4 or code or software) near2 select\$3 same (request) near4 (location or address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:51
-	401	((("717").CLAS.) or (("709").CLAS.)) and (response adj2 address) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:52

	41	((("717").CLAS.) or (("709").CLAS.)) and (response adj2 address) near10 (program\$4 or code or software or application) and @ad<20000809	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 11:53
--	----	--	---	------------------